



INDIUM CORPORATION OF AMERICA ®\EUROPE®\ASIA-PACIFIC®  
INDIUM CORPORATION (SUZHOU) ®

## SAFETY DATA SHEET

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier:** TIN BASED ALLOYS (NO LEAD)

**MSDS Number:** MSDS-972

**Revised Date:** 30 OCTOBER 2009

**Product Use:** Industrial Use - Alloy Metal Mix with Tin as the base. (See alloy table for product listing)

#### MANUFACTURER:

##### In America:

The Indium Corporation of America  
1676 Lincoln Ave., Utica NY 13502  
Information: (315) 853-4900  
nswarts@indium.com

##### EMERGENCY PHONE:

**CHEMTREC 24 hrs.**  
**USA: 1 (800) 424-9300**  
**Outside USA: 1 (703) 527-3887**

Indium Corporation of America  
Chicago Materials Division  
80 Scott Street  
Elk Grove Village, Illinois 60007  
Information: (847) 439-9135

##### In Europe:

Indium Corporation of Europe  
7 Newmarket Ct.  
Kingston, Milton Keynes, UK, MK 10 OAG  
Information: +44 [0] 1908 580400

##### In China:

Indium Corporation (Suzhou), Co., Ltd.  
No. 428 Xinglong Street  
Suzhou Industrial Park  
Suchun Industrial Square  
Unit No. 14-C  
Jiangsu Province, China 215126  
Information: (86) 512-6283-4900

##### In Asia:

Asia-Pacific Operations-Singapore  
29 Kian Teck Avenue  
Singapore 628908  
Information: +65 6268-8678

<http://www.indium.com>

## 2. HAZARDS IDENTIFICATION

### PRIMARY ROUTES OF ENTRY:

⊕Eye    ⊕Inhalation    ⊕Skin    ⊕Ingestion

### Carcinogen listed in

NTP\*    IARC\*    OSHA    ⊕Not Listed

\*See Section 11

GHS:



### POTENTIAL HEALTH EFFECTS:

**Eye Contact:** Mechanical irritant. Contact with powdered metal alloy or fume from molten metal may cause irritation. Severe eye damage may result from hot molten metal being splashed into the eyes.

**Ingestion:** Not generally considered toxic, but large amounts may cause gastrointestinal disturbances due to local irritation.

**Inhalation:** Dust may cause irritation to the respiratory tract. Inhalation of zinc dust may cause a sweet taste, throat dryness, cough nausea and fever.

**Skin Contact:** Mechanical irritant upon contact. Cannot be absorbed through skin. Hot molten metal may cause burns to the skin. **Antimony, Zinc, Cobalt and Nickel** – have been known to cause dermatitis.

**Chronic:** Prolonged inhalation may cause pneumoconiosis, producing distinctive changes in the lungs with no apparent disability or complications.

**Silver** – chronic skin contact or ingestion of silver dusts, salts or fume can result in a condition known as Argyria, a condition with bluish pigmentation of the skin and eyes.

**Indium** – may cause damage to respiratory system if inhaled over long periods of exposure.

**Copper** – over exposure to fumes may cause metal fume fever (chills, muscle aches, fever, dry throat, cough, weakness, lassitude), metallic or sweet taste, discoloration of skin and hair.

**Nickel** – poison by ingestion. Can cause pulmonary asthma, and hypersensitivity.

**Tin** – prolonged inhalation of dust or fume may result in irritation of the lungs.

**Aluminum** – inhalation of finely divided powder has been reported to cause pulmonary fibrosis.

**Note:** The Indium Corporation does not recommend, manufacture, market or endorse any of its products for human consumption.

**Warning:** This product may contain a chemical (s) known to the State of California to cause cancer and birth defects (or other reproductive harm). (nickel and trace levels of lead not intentionally added)

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

Components	% wt	CAS Registry #/EINECS #	PEL mg/m <sup>3</sup>	TLV-TWA mg/m <sup>3</sup>	TLV-STEL mg/m <sup>3</sup>
TIN	*	7440-31-5/231-141-8			
		(US)	2	2	-
		(EU)	-	2	4
		(Canada)	-	2	4
		(Singapore)	2	-	-
SILVER	*	7440-22-4/231-131-3			
		(US)	0.01	0.1	-
		(EU)	-	0.1	-
		(Canada)	-	0.1	0.3
		(Mexico)	-	0.1	-
		(Singapore)	0.1	-	-
INDIUM	*	7440-74-6/231-180-0			
		(US)	0.1	0.1	-
		(EU)	-	0.1	0.3
		(Canada)	-	0.1	0.3
		(Mexico)	-	0.1	0.3
		(Singapore)	0.1	-	-
		(China)	-	0.1	0.3
COPPER	*	7440-50-8/231-159-6			
		(US)	0.1	0.2	-
		(EU)	-	0.2(fume)	2(dust)
		(Canada)	-	0.2	0.6
		(Mexico)	-	0.2	2
		(Singapore)	0.2 (fume)	1 (dust)	-
		(China)	-	1(dust) 0.2(fume)	2.5(dust) 0.6(fume)
ANTIMONY	*	7440-36-0/231-146-5			
		(US)	0.5	0.5	-
		(EU)	0.5	-	-

		(Canada)	-	0.5	1.5	
		(Mexico)	-	0.5	-	
		(Singapore)	0.5	-	-	
		(China)	-	0.5	-	
ZINC	*	7440-66-6/231-175-3		N.E.	N.E.	N.E.
NICKEL	*	7440-02-0/231-111-4				
		(US)	1	1.5	-	
		(Canada)	-	1	2	
		(Mexico)	-	1	-	
		(Singapore)	1	-	-	
		(China)	-	1	2.5	
ALUMINUM	*	7429-90-5	10	10	-	
		(EU)	-	10	-	
		(Canada)	-	10	20	
		(Mexico)	5	-	-	
		(Singapore)	10	-	-	
		(China)	-	3	-	
COBALT	*	7440-48-4	0.1	0.02	-	
		(EU)	-	0.1	-	
		(Canada)	-	0.05	0.1	
		(Singapore)	0.02	-	-	
TITANIUM	(TRACE)	7440-32-6	N.E.	N.E.	N.E.	
MANGANESE	(TRACE)	7439-96-5	1(NIOSH)	0.2	3	
		(EU)	-	1(fume)	3(fume)	
		(Canada)	-	1(fume)	3(fume)	
		(Singapore)	5(dust)	1(fume)	3(fume)	
		(Mexico)	-	1(fume)	3(fume)	
CERIUM	(TRACE)	7440-45-1	N.E.	N.E.	N.E.	

Symbol: X<sub>n</sub>

Risk Phrases: R20/21/22 R36/37/38

\* SEE ALLOY TABLE FOR PRODUCT MIX PAGE 9

N.E. = Not Established

**DOES NOT CONTAIN ANY EU LISTED SUBSTANCES OF VERY HIGH CONCERN (SVHC)**

#### 4. FIRST AID MEASURES

- Eye Contact:** Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Seek medical attention if irritation persists.
- Ingestion:** If patient is conscious, ONLY induce vomiting as directed by trained personnel. NEVER give anything by mouth to an unconscious person. Seek medical attention immediately.
- Inhalation:** Remove to fresh air. If not breathing, give artificial respiration or oxygen by trained personnel. Seek immediate medical attention.
- Skin Contact:** Remove contaminated clothing. Wash affected area with soap and water. Wash clothing before reuse. If irritation persists, obtain medical attention.

#### 5. FIRE FIGHTING MEASURES

- Flash Point:** Not established. **Method:** Not established.
- Auto-ignition Temperature:** Not applicable
- Flammable Limits:** Fine dusts and powders could be a potential explosion hazard.
- Extinguishing Media:** Use extinguishers appropriate for the surrounding fire conditions. Use dry sand, sodium chloride, or dolomite. Water, A/B/C extinguishers and halogenated agents are not recommended.
- Special Fire Fighting Procedures:** Firefighters wear an approved self-contained breathing apparatus and full protective clothing.

#### 6. ACCIDENTAL RELEASE MEASURES

- Spill or Leak Procedures:** Wear respirator and other personal protective clothing. (See Exposure Controls/Personal Protection Section). Extinguish or remove all sources of ignition. Ventilate area. Clean up spill without generating or dispersing dust into the air. Vacuum solids instead of sweeping using a grounded unit. Reduce airborne dust and prevent scattering by moistening with water. Place spill material in a container and dispose of in accordance with applicable regulations.

#### 7. HANDLING AND STORAGE

- Handling Precautions:** Avoid breathing vapors from heated material and dusts from cutting or grinding. Avoid contact with eyes, skin and clothing. Follow routine safe handling procedures. Use with adequate ventilation.
- Storage Precautions:** Keep away from heat and flame. Store in suitable, tightly capped, and labeled containers in cool dry, well-ventilated area. Empty containers may be hazardous as they contain product residue.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Engineering Controls:** Local exhaust ventilation or point source exhaust ventilation is recommended to control any air contaminants or potential exposure. Keep exposures below regulatory limits.
- Personal protection:**
- Eyes:** Chemical safety glasses/goggles. Face shield recommended when handling molten metal.

- Respirator:** An authority approved or compliant marked air-purifying respirator with a fume/dust chemical cartridge is recommended under certain circumstances where airborne concentrations are expected to be elevated. Warning: Air purifying respirators do not protect the worker in oxygen-deficient atmospheres.
- Skin:** Wear protective gloves. Hot gloves for handling molten metal.
- Other:** Eye-wash fountain/shower in work area. Avoid the use of contact lenses in high fume and dust areas.
- Work/Hygienic** Maintain good housekeeping. Clean up spills immediately. Good personal hygiene is essential. Avoid eating, smoking or drinking in the work area. Wash hands thoroughly with soap and water immediately upon leaving the work area.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Solid	<b>Boiling Point:</b>	Not available
<b>Odor:</b>	Odorless	<b>Melting Point:</b>	See Table
<b>Specific Gravity:</b>	See Table	<b>pH:</b>	Not applicable
<b>Vapor Pressure:</b>	Not available	<b>Solubility in Water:</b>	Insoluble
<b>Vapor Density:</b>	(air=1) Not applicable.		

## 10. STABILITY AND REACTIVITY

<b>General:</b>	Stable.
<b>Conditions to Avoid:</b>	Heat, flame, ignition sources
<b>Incompatible Materials:</b>	Halogens, sulfur and some acids
<b>Hazardous Decomposition / Combustion:</b>	None
<b>Hazardous Polymerization:</b>	Will not occur.

## 11. TOXICOLOGICAL INFORMATION

<b>Carcinogenicity:</b>	<b>NTP (National Toxicity Program):</b>	Yes - Nickel	
	<b>OSHA (Occupational Safety &amp; Health Administration):</b>	No	
	<b>IARC (International Agency for Research on Cancer):</b>	Yes - Nickel	
<b>LD50:</b>	Not established.	<b>LC50:</b>	Not established.
<b>Other:</b>	NICKEL RTECS# QR5950000 COBALT suspected human carcinogen. TIN RTECS# XP7320000, COBALT RTECS# GF8750000, SILVER RTECS# VW3500000 ANTIMONY RTECS# CC4025000, INDIUM RTECS# NL1050000, COPPER RTECS# GL7900000		
RTECS = NIOSH Registry of Toxic Effects of Chemical Substances			

## 12. ECOLOGICAL INFORMATION

This section is subject to future development. Product not tested.

### 13. DISPOSAL CONSIDERATION

**Waste Disposal Method:** Scrap metal alloy usually has value. Contact a commercial reclaimer for recycling. Otherwise, dispose of in accordance with all Federal, State and Local environmental regulations. In Europe follow the Special Waste Regulations.

### 14. TRANSPORT INFORMATION

Transport in accordance with applicable regulations and requirements. Not regulated under US DOT (United States Department of Transportation). Non hazardous for shipping.

North American Emergency Guide Book 2004 – Not applicable

### 15. REGULATORY INFORMATION

The information in this Material Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated hereunder (29 CFR 1910.1200 ET. SEQ.).

The information in this Material Safety Data Sheet meets the requirements of the EU under Chemicals (Hazard Information and Packaging for Supply) Regulations 1994 (CHIP 2) Regulation 6.

This product has been classified in accordance with the hazard criteria of the Commission Directive 91/155/EEC and EH40.

This product has been classified in accordance with the requirements of the Mexican regulations: NOM-018-STPS-2000 and NOM-010-STPS-1999.

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulation (CPR).

Canadian WHMIS:

Tin, Silver, Copper, Indium, Aluminum, Antimony: Uncontrolled product according to WHMIS classification criteria.

Nickel: D2A Very Toxic Material Causing Other Toxic Effects carcinogenicity: IARC group 2B

D2B Toxic Material Causing Other Toxic Effects skin sensitization in humans

Cobalt: D2A Very Toxic Material Causing Other Toxic Effects carcinogenicity: IARC group 2B; respiratory tract sensitization in humans

D2B Toxic Material Causing Other Toxic Effects skin sensitization in humans



This product has been classified in accordance with the guidelines set by the Dept of Industrial Health of the Republic of Singapore.

This product has been classified in accordance with the Chinese Occupational Exposure Limit for Hazardous Agents in the Workplace GBZ2-2002.

SARA 313 Listing - 40 CFR 372.65 – Silver, Antimony, Nickel, Copper, Zinc, Aluminum, Cobalt

California Prop 65: Warning: This product contains a chemical known to the State of California to cause cancer and birth defects (or other reproductive harm). (Nickel and contains trace amounts of lead not intentionally added)

Ingredients are listed on the TSCA Inventory.

Contains ingredients that are listed on the New Jersey Right To Know List.

Ingredients are listed on the China Chemical Inventory.

Ingredients are listed on the Korean Existing Chemical Inventory.

Ingredients are listed on the Philippines Inventory of Chemicals.

Ingredients are listed on the Canadian Domestic Substance List.

EC Classification, Packaging and Labeling Requirements:

Symbol and Hazard Classification of Product

X<sub>n</sub>

**Risk Phrases:**

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed

R36/37/38 Irritating to eyes, respiratory system and skin

**Safety Phrases:**

S20/21 When using do not eat, drink or smoke

S23 Do not breathe fumes or dust

S24/25 Avoid contact with skin and eyes

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection

S62 If swallowed, do not induce vomiting seek medical advice immediately and show container or label

## 16. OTHER INFORMATION

**HMIS Hazard Rating:**

<b>Health:</b>	2
<b>Fire:</b>	1
<b>Reactivity:</b>	0

**Revised Date:** 30 OCTOBER 2009

**Prepared by:** Nancy Swarts, Indium Corporation of America

**Approved by:** Nancy Swarts, Indium Corporation of America

The information and recommendations contained herein are, to the best of The Indium Corporation of America's knowledge and belief, accurate and reliable as of the date issued. The Indium Corporation of America does not warrant or guarantee their accuracy or reliability, and The Indium Corporation of America shall not be liable for any loss or damage arising out of the user thereof. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.



INTENTIONALLY LEFT BLANK

**Alloy Table Mixtures**

%

Indalloy (Metal Mix)	Tin Sn	Indium In	Germanium Ge	Aluminum Al	Silver Ag	Antimony Sb	Nickel Ni	Zinc Zn	Copper Cu	Cobalt Co	Manganese Mn	RoHS* Compliance	Liquidus C/F <sup>0</sup>	Mass Density
121	96.5	-	-	-	3.5	-	-	-	-	-	-	YES	221/430	7.36
123	97.5	-	-	-	2.5	-	-	-	-	-	-	YES	226/439	7.34
128	100	-	-	-	-	-	-	-	-	-	-	YES	232/450	7.28
132	95	-	-	-	5	-	-	-	-	-	-	YES	240/464	7.39
156	90	-	-	-	10	-	-	--	-	-	-	YES	295/563	7.51
160	97	-	-	-	--	-	-	-	3	-	-	YES	300/572	7.32
173	99	-	1	-	-	-	-	-	-	-	-	YES	345/653	7.26
201	91	-	-	-	-	-	-	9	-	-	-	YES	199/390	7.27
208	8	-	-	-	7	-	-	-	85	-	-	YES	985/1805	8.87
209	65	-	-	-	25	10	-	-	-	-	-	YES	233/451	7.80
214	10	-	-	-	60	-	-	-	30	-	-	YES	720/1328	9.58
217	5	-	-	-	56	-	-	17	22	-	-	YES	650/1202	9.21
221	6	-	-	-	63	-	2.5	-	28.5	-	-	YES	800/1472	9.71
226	83.6	8.8	-	-	-	-	-	7.6	-	-	-	YES	187/369	7.27
224	46	52.2	-	-	-	--	-	1.8	-	-	-	YES	108/226	7.27
232	93.6	-	-	-	4.7	-	-	-	1.7	-	-	YES	217/423	7.40
241	95.5	-	-	-	3.8	-	-	-	0.7	-	-	YES	217/423	7.40
243	99	---	-	-	-	-	-	-	1	-	-	YES	227/441	7.31
244	99.3	-	-	-	--	-	-	-	0.7	-	-	YES	227/441	7.31
246	95.5	-	-	-	4	-	-	-	0.5	-	-	YES	217/423	7.40
251	96.2	--	-	-	2.5	0.5	--	-	0.8	-	-	YES	217/423	7.37
252	95.5	-	-	-	3.9	-	-	-	0.6	-	-	YES	217/423	7.40
256	96.5	-	-	-	3	-	-	-	0.5	-	-	YES	218/424	7.40

**NON STANDARD ALLOY MIXTURES**

Non Standard	30	65	-	-	4.5	-	-	-	0.5	-	-	YES	-	7.41
Non Standard	54	40	-	-	2	-	-	-	4	-	-	YES	-	7.39
Non Standard	63.5	-	-	-	25	10	-	-	1.5	-	-	YES	-	
Non Standard	64	30	-	-	2	-	-	-	4	-	-	YES	-	7.39
Non Standard	65	-	-	-	25	10	-	-	-	-	-	YES	-	
Non Standard	74	20	-	-	2	-	-	-	4	-	-	YES	-	7.38
Non Standard	78.5	-	-	-	10	10	-	-	1.5	-	-	YES	-	
Non Standard	80	-	-	-	10	10	-	-	-	-	-	YES	-	
Non Standard	82	-	-	-	18	-	-	-	-	-	-	YES	295/563	7.71

Non Standard	82	-	-	-	18	-	-	-	-	-	-	YES	295/563	7.71
Indalloy (Metal Mix)	Tin Sn	Indium In	Germanium Ge	Aluminum Al	Silver Ag	Antimony Sb	Nickel Ni	Zinc Zn	Copper Cu	Cobalt Co	Manganese Mn	RoHS* Compliance	Liquidus C/F <sup>0</sup>	Mass Density
Non Standard	84	10	-	-	2	-	-	-	4	-	-	YES	-	7.38
Non Standard	85	-	-	-	-	15	-	-	-	-	-	YES	300/572	7.31
Non Standard	85.9	10	-	-	3.1	-	-	-	1	-	-	YES	200/393	7.37
Non Standard	88	-	-	-	-	-	-	-	12	-	-	YES	-	7.45
Indalloy (Metal Mix)	Tin Sn	Indium In	Germanium Ge	Aluminum Al	Silver Ag	Antimony Sb	Nickel Ni	Zinc Zn	Copper Cu	Cobalt Co	Manganese Mn	RoHS* Compliance	Liquidus C/F <sup>0</sup>	Mass Density
Non Standard	88	-	-	-	12	-	-	-	-	-	-	YES	-	7.56
Non Standard Ribbon	89	-	-	-	-	10.5	-	-	0.5	-	-	YES	-	7.21
Non Standard	90	-	-	-	-	10	-	-	-	-	-	YES	248/478	7.25
Non Standard	91	-	-	0.06	-	-	-	8.94	-	-	-	YES	-	7.26
Non Standard	91.25	-	-	-	-	-	-	8.75	-	-	-	YES	199/390	7.27
Non Standard	91.5	-	-	-	-	8.5	-	-	-	-	-	YES	-	7.22
Non Standard	92	-	-	-	-	-	-	8	-	-	-	YES	-	7.27
Non Standard	92.4	-	-	-	-	7	0.1	-	0.5	-	-	YES	-	7.24
Non Standard	92.5	-	-	-	3.5	-	-	-	4	-	-	YES	-	7.41
Non Standard	93	-	-	-	-	-	-	-	7	-	-	YES	-	7.32
Non Standard	94	3	-	-	2.5	-	-	-	0.5	-	-	YES	-	7.34
Non Standard IPN 52357	94.13	-	-	0.05	1.63	0.61	-	0.75	2.87	-	-	YES	-	7.34
Non Standard	94.8	-	-	-	3.8	-	-	0.7	0.7	-	-	YES	-	7.37
Non Standard Solder Wire IPN 52361	94.95	-	-	0.05	-	1.35	-	3.65	-	-	-	YES	-	7.25
Non Standard	95	-	-	-	3.8	-	-	0.5	0.7	-	-	YES	-	7.37
Non Standard	95.4	-	-	-	3.8	-	-	0.1	0.7	-	-	YES	-	7.37
Non Standard	95.5	-	-	-	3.5	-	-	-	1	-	-	YES	218/424	7.40

Non Standard Doped with 0.05% Al	95.5	-	-	-	4.0	-	-	-	0.5	-	-	YES	-	7.40
Non Standard	95.7	-	-	-	3.4	-	-	-	0.9	-	-	YES	218/424	7.36
Non Standard	95.9	-	-	-	3.4	-	-	-	0.7	-	-	YES	218/424	7.40
Non Standard	95.9	1	-	-	0.1	-	-	-	3	-	-	YES	-	7.32
Non Standard	96	-	-	-	4	-	-	-	-	-	-	YES	240/465	7.40
Non Standard	96.3	-	-	-	3	-	-	-	0.7	-	-	YES	218/424	7.40
Non Standard	96.3	-	-	-	3.7	-	-	-	-	-	-	YES	221/430	7.42
Non Standard	96.3	-	-	-	3.2	-	-	-	0.5	-	-	YES	218/424	7.38
Non Standard	96.5	-	-	-	3	-	-	-	0.5	-	-	YES	218/424	7.40
Non Standard	97	-	-	-	2.5	-	-	-	0.5	-	-	YES	-	7.34
Non Standard (SAC 209)	97.1	-	-	-	2.0	-	-	-	0.9	-	-	YES	-	7.34
<b>Indalloy (Metal Mix)</b>	<b>Tin Sn</b>	<b>Indium In</b>	<b>Germanium Ge</b>	<b>Aluminum Al</b>	<b>Silver Ag</b>	<b>Antimony Sb</b>	<b>Nickel Ni</b>	<b>Zinc Zn</b>	<b>Copper Cu</b>	<b>Cobalt Co</b>	<b>Manganese Mn</b>	<b>RoHS* Compliance</b>	<b>Liquidus C/F<sup>0</sup></b>	<b>Mass Density</b>
Non Standard Solder Wire	97.5	-	-	-	1.5	-	-	-	0.7	0.3	-	YES	-	7.19
Non Standard Doped with 0.02% Titanium	97.5	-	-	-	1.8	-	-	-	0.7	-	-	YES	-	7.33
Non Standard	97.7	-	-	-	2	-	0.3	-	-	-	-	YES	-	7.19
Non Standard	97.9	-	-	-	2	-	0.1	-	-	-	-	YES	-	7.28
Non Standard	98	-	-	-	2	-	-	-	-	-	-	YES	-	7.32
Non Standard	98.13	-	-	-	1.1	-	-	-	0.65	-	≤0.15	YES	-	7.26
Non Standard Doped with 0.02% Titanium	98.3	-	-	-	1.0	-	-	-	0.7	-	-	YES	-	7.31

MSDS - 972

TIN BASED ALLOYS (NO LEAD)

Non Standard (SAC 105)	98.5	-	-	-	1	-	-	-	0.5	-	-	YES	-	7.31
Non Standard (SAC 105) Doped with 0.05% Manganese	98.5	-	-	-	1	-	-	-	0.5	-	Doped 0.05	YES	-	7.31
Non Standard (SAC 105) Doped with 0.05% Manganese and 0.02% Cerium	98.5	-	-	-	1	-	-	-	0.5	-	Doped 0.05	YES	-	7.31
Non Standard (SAC# 0307)	99	-	-	-	0.3	-	-	-	0.7	-	-	YES	-	7.30
Non Standard	99.1	-	-	-	-	-	-	-	0.9	-	-	YES	-	7.29
Non Standard	99.3	-	-	-	-	-	-	-	0.7	-	-	YES	-	7.29
Non Standard (Cobalt 995)	99.5	-	-	-	-	-	-	-	0.5	<50 ppm	-	YES	-	7.29
Non Standard	95	-	-	-	-	-	-	-	5	-	-	YES	-	7.35
Non Standard	95	=	=	=	0.5	=	=		4.5	=	=	YES	-	7.37

\*RoHS = Restriction on Hazardous Substances

EU Directive 2002/95/EC

- [http://europa.eu.int/comm/environment/waste/weee\\_index.tm](http://europa.eu.int/comm/environment/waste/weee_index.tm)
- <http://www.pbfree.com>